

GIMBALS

Flexible aiming for a variety of lamp types: these gimbal lamp holders rotate 350° and tilt ±90°, on Juno, Halo, Lightolier or Global track. Ten bodies in black, white or silver, with E26 medium or skirted bases. Lamps are not included.

Retail Store

Hospitality

Supermarkets



Project Information

Type: Date:
Project:
Catalog #:
Notes:



Key Specifications

Electrical

Input voltage	120V
Lamp	Not included
Lamp base	E26 medium · E26 skirted

Compatibility

Track systems	Juno · Global · Halo · Lightolier
Adapters	J1 · G1 · H1 · L1

Physical

Bodies	10 models
Housing	Aluminum · OLP00 Lexan
Rotation	350°
Tilt	± 90°
Finish	Black · White · Silver
Accessories	Track · Track components

Certifications

Listings	2-Yr Warranty · RoHS
UL Certified	US-CA · E509476

System Warranty

2 years

Eralux will warrant a defective gimbal for 2 years from the date of purchase. The warranty is valid only if the fixture is installed and used as per installation guides and specifications. If a defect is present, Eralux will send a replacement at no fee with instructions on the return of the defective part. Lamps are not included and are not covered.

Lumen Maintenance

Not applicable

Gimbals are lamp holders and carry no light source; lamps are not included. Lumen maintenance is a property of the lamp selected.

Ordering Guide - Fixture


Assembled Catalog Number

[RESET](#)


AEH-

Catalog #:


01 FIXTURE FAMILY



02 ADAPTER



03 FINISH



Notes: 1. Lamps are not included. 2. Silver powder is available on 00P00, 0LP00, GBP38, GFP30 and GFP38 only; the other bodies are black or white. 3. Track, track components and finishes are ordered from page 03.

Accessory Ordering Guide

Track System

[RESET](#)

Catalog #:

01 TRACK SYSTEM

T1
Juno system-1
circuit

T2
Juno system-2
circuit

H1
Halo system-1
circuit

ERALUX Track
Track system and components are ordered with the track head if needed.

02 COMPONENT

-2
2ft track

-4
4ft track

-6
6ft track

-8
8ft track

-12
12ft track

0001
Mini connector

0002
T connector

0003
L connector

0004
X connector

0015
Top access end
feed

03 FINISH


-BLK
Black finish


-WHT
White finish


-SLV
Silver finish

Track details: [ERALUX Track T1](#) · [ERALUX Track T2](#) · [ERALUX Track H1](#).

Lamp Compatibility

Lamps are not included. Each gimbal accepts the lamps listed below at 120V; the maximum wattage is the lamp holder's rating, not a fixture output.

MODEL	BODY	LAMP COMPATIBILITY	LAMP BASE	FINISH
OOP00	Short neck	Max 50W: PAR20 • Max 75W: PAR16 / PAR30 / PAR30S • Max 250W: PAR38	E26	BK • WH • SV
OLP00	Universal, Lexan	Max 150W: PAR38	E26 skirted	BK • WH • SV
AJP00	Universal	Max 50W: PAR20 • Max 75W: PAR16 / PAR30 • Max 250W: PAR38	E26	BK • WH
CLP30	Round back	Max 75W: PAR30	E26	BK • WH
FCP20	Flat back	Max 75W: R20 • Max 50W: PAR20	E26	BK • WH
FCP30	Flat back	Max 100W: A19 • Max 75W: PAR30 (long neck) • Max 65W: BR30	E26	BK • WH
FCP38	Flat back	Max 250W: PAR38 • Max 120W: BR40	E26	BK • WH
GBP38	Rear relamping 5in	Max 250W: PAR38	E26 skirted	BK • WH • SV
GFP30	Front relamping 4in	Max 75W: PAR30 compatible	E26	BK • WH • SV
GFP38	Front relamping 5in	Max 250W: PAR38 compatible	E26	BK • WH • SV

All bodies rotate 350° and tilt ± 90°, take a 120V input and mount on Juno, Global, Halo or Lightolier track with the matching adapter.

The Ten Bodies



OOP00



OLP00



AJP00



CLP30



FCP20



FCP30



FCP38



GBP38




GFP30




GFP38


Dimensions




OOP00 Universal lamp holder, short neck




OLP00 Universal lamp holder




AJP00 Universal lamp holder



CLP30 Round back cylinder, front




CLP30 Round back cylinder




FCP20 Flat back cylinder

All dimensions in inches.


Dimensions




FCP30 Flat back cylinder




FCP38 Flat back cylinder



GBP38 Rear relamping gimbal



GFP30 Front relamping gimbal



GFP38 Front relamping gimbal

All dimensions in inches.